



Peak P-209C

4000kg 2 Post Clear Floor Hoist



ALSO AVAILABLE
IN BLUE



Peak P-209C

4000kg 2 Post Clear Floor Hoist



OUR VICE-GRIP GUARANTEE

If you're not happy, we replace or refund in full.



4 three-stages arms are suitable for a wide range of vehicles.



FEATURES

- Only 100mm concrete thickness required (minimum)
- 4000kg (9,000lbs) capacity.
- Full length dual hydraulic direct-drive cylinders minimizes the number of moving parts to maintain and repair
- 4 three-stages arms are suitable for easy load of a large range of cars, vans & 4x4's
- 3/8" aircraft quality cable is used for balancing
- Single-point safety release, allow technician to disengage both column simultaneously.
- Self-lubricating UHMW Polyethylene sliders and bronze bushes.
- Clear-floor design, provides unobstructed floor use.
- Overhead safety shut-off device prevents vehicle damage.
- Screw up feet and 2.5" adapters as standard
- Large rubber door guards attached to each carriage
- Standard toe guards & 2 x tool trays on lifting arms.
- Two height setting for top cross bar accommodates varying ceiling heights
- Low service costs
- Optional 610mm Height Extension - (Height 4431mm)
- Optional 150mm Width Extension Kit - (Width 3000mm)
- European CE Safety Certified
- Full 2 year warranty

SPECIFICATIONS

| | |
|-----------------------|-----------------|
| Capacity | 4000KG |
| Max height | 1815-2044mm |
| Min Height | 90mm |
| Lifting Time (approx) | 55 Sec |
| Weight | 697kg |
| Power supply | 230V 1PH |
| Total height | Std 3821 / 3621 |
| Warranty | 2 years |



Self-lubricating bronze bush, no need frequently change.



The stackable rubber pads assembly with 2.5" extension adapters.



Single-point safety release
The single-point safety release makes it easy for the operator to unlock both columns locks form one column, and more reliable.




Hydraulic Direct-driven Cylinders.
The hydraulic direct-driven cylinders feature more efficient, more longevity, more reliable and less service.




Optional Width Extension Kits
With these kits the width between posts is adjusted from 2850mm to 3000mm.
Kits No.:20906



Optional Height Extension Kits.
With these kits the overall height is adjusted from 3821mm to 4431mm.
Kits No.:20902



4 three-stages arms are suitable for more vehicles.




Automatic arm restraints

Peak P-209C

4000kg 2 Post Clear Floor Hoist

AUTOMASTER SERVICE GUARANTEE
OUR VICE-GRIP GUARANTEE
 If you're not happy, we replace or refund in full.



Quality alloy body electric motor Manual down valve

