

III AUTONASTER THE AUTO EQUIPMENT SPECIALISTS

Peak Parking lifts

PEAK ONASI




AUTOMASTER




romas




Peak Parking lifts









Quality alloy body electric motor with manual down valve.














Peak Parking lifts

FEATURES

- Peak Car Stacker Parking lifts are a true space-saver.
- About the size of a typical parking space, this lift doubles nicely as a residential / commercial parking lift.
- Adjustable locking ladders for perfect levelling
- Power Unit & lock release can be positioned on any corner
- Double-"S" shape columns to increase the columns strength
- PEAK exclusive hidden safety locks and manual single-point lock release
- Auto activated Double Lock Safety System incl cable break lock

- All cables hidden in Columns & Cross Tubes
- Folding Ramps can be easily removed
- Only 100mm concrete thickness required (minimum)
- Steel Jack Tray Included
- Four Plastic Drip Trays Included
- Oil and floor mounting bolts included.
- Optional jacking beam
- Optional Caster kit
- European CE Safety Certified
- Full 2 year warranty

Model 407-P		4-Post Parking Lift
Lifting Capacity		3000kg
Lifting Time		68s(110V)/31s(220V)
Overall Length (Inc Ramps)	A	4720mm (185 7/8")
Overall Length (No Ramps)		3877mm (152 5/8")
Overall Width	C	2409mm (94 7/8")
Width Between Posts		2167mm (85 3/8")
Max.Lifting Height	E	1872mm (73 3/4")
Overall Height		2105mm (82 7/8")
Minimum Height	G	135mm (5 3/8")
Max.Underneath Height		1772mm (69 3/4")
Drive-Thru Clearance	I	1956mm(77")
Width Between Runways		940mm (37")
Outside Edge of Runways	К	1890mm(74 3/8")
Gross Weight		654kg
Motor		1.5HP 110V /3.0HP 220V
QTY of Container		12Units/20'GP 36Units/40'GP
Packing Dimension		3811X 506 X 780mm


	4-Post Parking Lift
	3500kg
	83s(110V)/38s(220V)
Α	5265mm (207 1/4")
В	4415mm (173 7/8")
C	2684mm (105 5/8")
	2438mm (96")
E	2227mm (87 3/4")
	2455mm (96 5/8")
G	155mm (6 1/8")
	2107mm (83")
I	2074mm(81 5/8")
J	940mm (37")
K	1890mm(74 3/8")
	773kg
	1.5HP 110V/2.0HP 220V
	12Units/20'GP 24Units/40'GP
	4400 X 540 X 750mm
	B C D E F G H I


Model 408-P		4-Post Parking Lift
Lifting Capacity		3500kg
Lifting Time		83s(110V)/38s(220V)
Overall Length (Inc Ramps)	A	5265mm (207 1/4")
Overall Length (No Ramps)		4415mm (173 7/8")
Overall Width	C	2684mm (105 5/8")
Width Between Posts		2438mm (96")
Max.Lifting Height	E	1872mm (73 3/4")
Overall Height		2105mm (82 7/8")
Minimum Height	G	155mm (6 1/8")
Max.Underneath Height		1752mm (69")
Drive-Thru Clearance	I	2074mm(81 5/8")
Width Between Runways		940mm (37")
Outside Edge of Runways	K	1890mm(74 3/8")
Gross Weight		747kg
Motor		1.5HP 110V/3.0HP 220V
QTY of Container		12 Units/20'GP 24Units/40'GP
Packing Dimension		4400 X 506 X 780mm

Model 409-HP		4-Post Parking Lift
Lifting Capacity		4000kg
Lifting Time		122s(110V)/67s(220V)
Overall Length (Inc Ramps)	Α	5965mm (234 7/8")
Overall Length (No Ramps)	В	5115mm (201 3/8")
Overall Width	С	3106mm (122 1/4")
Width Between Posts	D	2860mm (112 5/8")
Max.Lifting Height	E	2227mm (87 3/4")
Overall Height	F	2455mm (96 5/8")
Minimum Height	G	155mm (6 1/8")
Max.Underneath Height	Н	2107mm (83")
Drive-Thru Clearance	I	2496mm (98 1/4")
Width Between Runways		1077mm (42 3/8")
Outside Edge of Runways	К	2093mm (82 3/8")
Gross Weight		904kg
Motor		1.5HP 110V/3.0HP 220V
QTY of Container		12Units/20'GP 24Units/40'GP
Packing Dimension		5100 X 560 X 770mm











Peak P-408P

3500kg 4 Post Parking Lift









Peak P-408HP

3500kg High lift 4 Post Parking Lift







Peak P-409HP

4000kg Large 4 Post Parking Lift



